

## **LISTINO ADATTATORI ISO 8434-6 - BS 5200**




**2022**



## ADATTATORE DIRITTO MASCHIO SV.60°

Filetto gas cilindrico

4500../4501..




| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 45000176N | 1/8        | 1/8        |  |  |  |
| 45000165N | 1/4        | 1/8        |  |  |  |
| 45000155N | 1/4        | 1/4        |  |  |  |
| 45000163N | 3/8        | 1/4        |  |  |  |
| 45000111N | 3/8        | 3/8        |  |  |  |
| 45000292N | 1/2        | 1/4        |  |  |  |
| 45000166N | 1/2        | 3/8        |  |  |  |
| 45000124N | 1/2        | 1/2        |  |  |  |
| 45000168N | 5/8        | 1/2        |  |  |  |
| 45000184N | 5/8        | 5/8        |  |  |  |
| 45000276N | 3/4        | 3/8        |  |  |  |
| 45000177N | 3/4        | 1/2        |  |  |  |
| 45000164N | 3/4        | 5/8        |  |  |  |
| 45000112N | 3/4        | 3/4        |  |  |  |
| 45000170N | 1          | 1/2        |  |  |  |
| 45000167N | 1          | 3/4        |  |  |  |
| 45000179N | 1          | 1          |  |  |  |
| 45000295N | 1.1/4      | 3/4        |  |  |  |
| 45000187N | 1.1/4      | 1          |  |  |  |
| 45000189N | 1.1/4      | 1.1/4      |  |  |  |
| 45000296N | 1.1/2      | 1          |  |  |  |
| 45000195N | 1.1/2      | 1.1/4      |  |  |  |
| 45000247N | 1.1/2      | 1.1/2      |  |  |  |
| 45000360N | 2          | 1.1/4      |  |  |  |
| 45000269N | 2          | 1.1/2      |  |  |  |
| 45000253N | 2          | 2          |  |  |  |

## ADATTATORE DIRITTO MASCHIO SV.60°

Filetto metrico cilindrico

4500../4501..




| Codice    | Filetto M1 | Filetto M2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 45000256N | 12x1,5     | 12x1,5     |  |  |  |
| 45000257N | 14x1,5     | 14x1,5     |  |  |  |
| 45000151N | 16x1,5     | 16x1,5     |  |  |  |
| 45000180N | 18x1,5     | 18x1,5     |  |  |  |
| 45000129N | 22x1,5     | 22x1,5     |  |  |  |
| 45000255N | 26x1,5     | 26x1,5     |  |  |  |

## ADATTATORE DIRITTO MASCHIO SV.60°

Filetto gas cilindrico/conico

4501..




| Codice    | Filetto BSP | Filetto BSPT |  |  |  |
|-----------|-------------|--------------|--|--|--|
| 45010268N | 1/8         | 1/8          |  |  |  |
| 45000130N | 1/4         | 1/4          |  |  |  |
| 45000131N | 3/8         | 3/8          |  |  |  |
| 45000132N | 1/2         | 1/2          |  |  |  |
| 45000133N | 3/4         | 3/4          |  |  |  |
| 45000134N | 1           | 1            |  |  |  |
| 45012075N | 1.1/4       | 1.1/4        |  |  |  |
| 45012476N | 1.1/2       | 1.1/2        |  |  |  |
| 45013278N | 2           | 2            |  |  |  |

## ADATTATORE DIRITTO CONICO

Filetto gas conico NPT


4501..



| Codice    | Filetto R1 | Filetto R2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 45016969N | 1/4        | 1/4        |  |  |  |
| 45017070N | 3/8        | 3/8        |  |  |  |
| 45017171N | 1/2        | 1/2        |  |  |  |
| 45017373N | 3/4        | 3/4        |  |  |  |
| 45017474N | 1          | 1          |  |  |  |
| 45017575N | 1.1/4      | 1.1/4      |  |  |  |
| 45017676N | 1.1/2      | 1.1/2      |  |  |  |
| 45017878N | 2          | 2          |  |  |  |

## ADATTATORE DI PROLUNGAMENTO SV.60° MASCHIO/FEMMINA


Filetto gas cilindrico  
45PRF../4500..



| Codice    | Filetto G1 | Filetto G2 | L esagono |  |  |
|-----------|------------|------------|-----------|--|--|
| 45040202N | 1/8        | 1/8        | 14        |  |  |
| 4500PRF02 | 1/8        | 1/8        | 29        |  |  |
| 45PRF0420 | 1/4        | 1/4        | 21        |  |  |
| 4500PRF04 | 1/4        | 1/4        | 33        |  |  |
| 45PRF0443 | 1/4        | 1/4        | 43        |  |  |
| 45000313N | 3/8        | 3/8        | 17        |  |  |
| 45040606N | 3/8        | 3/8        | 30        |  |  |
| 4500PRF06 | 3/8        | 3/8        | 40        |  |  |
| 45000346N | 1/2        | 1/2        | 23        |  |  |
| 45PRF0836 | 1/2        | 1/2        | 33,5      |  |  |
| 4500PRF08 | 1/2        | 1/2        | 43,5      |  |  |
| 45000188N | 3/4        | 3/4        | 26,5      |  |  |
| 4500PRF12 | 3/4        | 3/4        | 53,5      |  |  |
| 45PRF1630 | 1          | 1          | 29        |  |  |
| 4500PRF16 | 1          | 1          | 62,5      |  |  |
| 45PRF2030 | 1.1/4      | 1.1/4      | 28        |  |  |
| 4500PRF20 | 1.1/4      | 1.1/4      | 69        |  |  |
| 45PRF2435 | 1.1/2      | 1.1/2      | 40        |  |  |
| 4500PRF24 | 1.1/2      | 1.1/2      | 75        |  |  |
| 45043232N | 2          | 2          | 37        |  |  |
| 4500PRF32 | 2          | 2          | 72        |  |  |

## MANICOTTO FEMMINA/FEMMINA


Filetto gas cilindrico  
4508..



| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 45008162N | 1/4        | 1/4        |  |  |  |
| 45008163N | 3/8        | 3/8        |  |  |  |
| 45008164N | 1/2        | 1/2        |  |  |  |
| 45008166N | 3/4        | 3/4        |  |  |  |
| 45008167N | 1          | 1          |  |  |  |

## PASSAPARETE SV.60°

Filetto gas cilindrico



| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 4500NPP04 | 1/4        | 1/4        |  |  |  |
| 4500NPP06 | 3/8        | 3/8        |  |  |  |
| 4500NPP08 | 1/2        | 1/2        |  |  |  |
| 4500NPP12 | 3/4        | 3/4        |  |  |  |
| 4500NPP16 | 1          | 1          |  |  |  |
| 4500NPP20 | 1.1/4      | 1.1/4      |  |  |  |
| 4500NPP24 | 1.1/2      | 1.1/2      |  |  |  |

## CONTRODADO PER PASSAPARETE

Filetto gas cilindrico




| Codice     | Filetto G1 |  |  |  |  |
|------------|------------|--|--|--|--|
| 4500NPP04D | 1/4        |  |  |  |  |
| 4500NPP06D | 3/8        |  |  |  |  |
| 4500NPP08D | 1/2        |  |  |  |  |
| 4500NPP12D | 3/4        |  |  |  |  |
| 4500NPP16D | 1          |  |  |  |  |
| 4500NPP20D | 1.1/4      |  |  |  |  |
| 4500NPP24D | 1.1/2      |  |  |  |  |

## ADATTATORE SV.60° CON DADO PRESSATO

Filetto gas cilindrico

4500../4505..




| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 45000214N | 1/4        | 1/4        |  |  |  |
| 45000215N | 3/8        | 3/8        |  |  |  |
| 45000216N | 1/2        | 1/2        |  |  |  |
| 45000217N | 3/4        | 3/4        |  |  |  |
| 45000218N | 1          | 1          |  |  |  |
| 45052020N | 1.1/4      | 1.1/4      |  |  |  |
| 45052424N | 1.1/2      | 1.1/2      |  |  |  |
| 45053232N | 2          | 2          |  |  |  |

## ADATTATORE CONO 60° CON DOPPIO DADO PRESSATO

Filetto gas cilindrico

4500../4510..




| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 45000219N | 1/4        | 1/4        |  |  |  |
| 45000220N | 3/8        | 3/8        |  |  |  |
| 45000221N | 1/2        | 1/2        |  |  |  |
| 45000222N | 3/4        | 3/4        |  |  |  |
| 45000223N | 1          | 1          |  |  |  |
| 45102020N | 1.1/4      | 1.1/4      |  |  |  |
| 45102424N | 1.1/2      | 1.1/2      |  |  |  |
| 45103232N | 2          | 2          |  |  |  |

## RIDUZIONE SV.60° MASCHIO/FEMMINA GIREV.

Filetto gas cilindrico

4504..




| Codice    | Filetto M | Filetto F |  |  |  |
|-----------|-----------|-----------|--|--|--|
| 45050406N | 1/4       | 3/8       |  |  |  |
| 45050604N | 3/8       | 1/4       |  |  |  |
| 45050608N | 3/8       | 1/2       |  |  |  |
| 45050806N | 1/2       | 3/8       |  |  |  |
| 45050812N | 1/2       | 3/4       |  |  |  |
| 45051208N | 3/4       | 1/2       |  |  |  |
| 45051216N | 3/4       | 1         |  |  |  |
| 45051612N | 1         | 3/4       |  |  |  |
| 45051620N | 1         | 1.1/4     |  |  |  |

## RIDUZIONE SV.60° MASCHIO/FEMMINA

Filetto gas cilindrico

4504..




| Codice    | Filetto M | Filetto F |  |  |  |
|-----------|-----------|-----------|--|--|--|
| 45040204N | 1/8       | 1/4       |  |  |  |
| 45040206N | 1/8       | 3/8       |  |  |  |
| 45040402N | 1/4       | 1/8       |  |  |  |
| 45040406N | 1/4       | 3/8       |  |  |  |
| 45040408N | 1/4       | 1/2       |  |  |  |
| 45040604N | 3/8       | 1/4       |  |  |  |
| 45040608N | 3/8       | 1/2       |  |  |  |
| 45040612N | 3/8       | 3/4       |  |  |  |
| 45040804N | 1/2       | 1/4       |  |  |  |
| 45040806N | 1/2       | 3/8       |  |  |  |
| 45040812N | 1/2       | 3/4       |  |  |  |
| 45040816N | 1/2       | 1         |  |  |  |
| 45041206N | 3/4       | 3/8       |  |  |  |
| 45041208N | 3/4       | 1/2       |  |  |  |
| 45041216N | 3/4       | 1         |  |  |  |
| 45041220N | 3/4       | 1.1/4     |  |  |  |
| 45041608N | 1         | 1/2       |  |  |  |
| 45041612N | 1         | 3/4       |  |  |  |
| 45041620N | 1         | 1.1/4     |  |  |  |
| 45042016N | 1.1/4     | 1         |  |  |  |
| 45042024N | 1.1/4     | 1.1/2     |  |  |  |
| 45042420N | 1.1/2     | 1.1/4     |  |  |  |
| 45042432N | 1.1/2     | 2         |  |  |  |

## RIDUZIONE BASSA MASCHIO/FEMMINA

Filetto gas conico/gas cilindrico

4504..




| Codice    | Filetto R | Filetto G |  |  |   |
|-----------|-----------|-----------|--|--|---|
| 45046902N | 1/4       | 1/8       |  |  | R |
| 45047002N | 3/8       | 1/8       |  |  | R |
| 45047004N | 3/8       | 1/4       |  |  | R |
| 45047104N | 1/2       | 1/4       |  |  | R |
| 45047106N | 1/2       | 3/8       |  |  | R |
| 45047306N | 3/4       | 3/8       |  |  | R |
| 45047308N | 3/4       | 1/2       |  |  | R |
| 45047408N | 1         | 1/2       |  |  | R |
| 45047412N | 1         | 3/4       |  |  | R |
| 45047512N | 1.1/4     | 3/4       |  |  | R |
| 45047516N | 1.1/4     | 1         |  |  | R |
| 45047616N | 1.1/2     | 1         |  |  | R |
| 45047620N | 1.1/2     | 1.1/4     |  |  | R |
| 45047820N | 2         | 1.1/4     |  |  | R |
| 45047824N | 2         | 1.1/2     |  |  | R |

## RIDUZIONE BASSA SV. 60° MASCHIO/FEMMINA FISSA

Filetto gas cilindrico

45F1..




| Codice    | Filetto M | Filetto F |  |  |  |
|-----------|-----------|-----------|--|--|--|
| 45F10604N | 3/8       | 1/4       |  |  |  |
| 45F10804N | 1/2       | 1/4       |  |  |  |
| 45F10806N | 1/2       | 3/8       |  |  |  |
| 45F11206N | 3/4       | 3/8       |  |  |  |
| 45F11208N | 3/4       | 1/2       |  |  |  |
| 45F11608N | 1         | 1/2       |  |  |  |
| 45F11612N | 1         | 3/4       |  |  |  |
| 45F12012N | 1.1/4     | 3/4       |  |  |  |
| 45F12016N | 1.1/4     | 1         |  |  |  |
| 45F12420N | 1.1/2     | 1.1/4     |  |  |  |
| 45F13220N | 2         | 1.1/4     |  |  |  |
| 45F13224N | 2         | 1.1/2     |  |  |  |

## ADATTATORE A 90° MASCHIO

Filetto gas conico BSPT

4502..




| Codice    | Filetto R1 | Filetto R2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 45026969N | 1/4        | 1/4        |  |  |  |
| 45027070N | 3/8        | 3/8        |  |  |  |
| 45027171N | 1/2        | 1/2        |  |  |  |
| 45027373N | 3/4        | 3/4        |  |  |  |
| 45027474N | 1          | 1          |  |  |  |

## ADATTATORE A 90° MASCHIO

Filetto NPT

4500..




| Codice    | Filetto NPT1 | Filetto NPT2 |  |  |  |
|-----------|--------------|--------------|--|--|--|
| 45000366N | 1/8          | 1/8          |  |  |  |
| 45000367N | 1/4          | 1/4          |  |  |  |
| 45000368N | 3/8          | 3/8          |  |  |  |
| 45000369N | 1/2          | 1/2          |  |  |  |
| 45000370N | 3/4          | 3/4          |  |  |  |
| 45000371N | 1            | 1            |  |  |  |
| 45000372N | 1.1/4        | 1.1/4        |  |  |  |
| R         | 1.1/2        | 1.1/2        |  |  |  |
| R         | 2            | 2            |  |  |  |

## ADATTATORE A 90° MASCHIO

Filetto gas cilindrico

4500..




| Codice | Filetto BSP1 | Filetto BSP2 |  |  |  |
|--------|--------------|--------------|--|--|--|
| R      | 1/8          | 1/8          |  |  |  |
| R      | 1/4          | 1/4          |  |  |  |
| R      | 3/8          | 3/8          |  |  |  |
| R      | 1/2          | 1/2          |  |  |  |
| R      | 3/4          | 3/4          |  |  |  |
| R      | 1            | 1            |  |  |  |
| R      | 1.1/4        | 1.1/4        |  |  |  |
| R      | 1.1/2        | 1.1/2        |  |  |  |
| R      | 2            | 2            |  |  |  |

## ADATTATORE A 90° MASCHIO SV.60°

Filetto gas cilindrico/gas conico

4500../4502..




| Codice    | Filetto BSP | Filetto BSPT |  |  |  |
|-----------|-------------|--------------|--|--|--|
| 45020268N | 1/8         | 1/8          |  |  |  |
| 45000175N | 1/4         | 1/4          |  |  |  |
| 45000123N | 3/8         | 3/8          |  |  |  |
| 45000190N | 1/2         | 1/2          |  |  |  |
| 45000140N | 3/4         | 3/4          |  |  |  |
| 45000197N | 1           | 1            |  |  |  |

## ADATTATORE A 90° FEMMINA

Filetto gas cilindrico

4515..




| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 45150202N | 1/8        | 1/8        |  |  |  |
| 45150404N | 1/4        | 1/4        |  |  |  |
| 45150606N | 3/8        | 3/8        |  |  |  |
| 45150808N | 1/2        | 1/2        |  |  |  |
| 45151212N | 3/4        | 3/4        |  |  |  |
| 45151616N | 1          | 1          |  |  |  |
| 45152020N | 1.1/4      | 1.1/4      |  |  |  |
| 45152424N | 1.1/2      | 1.1/2      |  |  |  |
| 45153232N | 2          | 2          |  |  |  |

## ADATTATORE A "T" MASCHIO SV.60°

Filetto gas cilindrico

4500TWM..




| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 4500TWM02 | 1/8        | 1/8        |  |  |  |
| 4500TWM04 | 1/4        | 1/4        |  |  |  |
| 4500TWM06 | 3/8        | 3/8        |  |  |  |
| 4500TWM08 | 1/2        | 1/2        |  |  |  |
| 4500TWM12 | 3/4        | 3/4        |  |  |  |
| 4500TWM16 | 1          | 1          |  |  |  |
| 4500TWM20 | 1.1/4      | 1.1/4      |  |  |  |
| 4500TWM24 | 1.1/2      | 1.1/2      |  |  |  |
| 4500TWM32 | 2          | 2          |  |  |  |

## ADATTATORE A "T" FEMMINA

Filetto gas cilindrico


4500TWF..



| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 4500TWF02 | 1/8        | 1/8        |  |  |  |
| 4500TWF04 | 1/4        | 1/4        |  |  |  |
| 4500TWF06 | 3/8        | 3/8        |  |  |  |
| 4500TWF08 | 1/2        | 1/2        |  |  |  |
| 4500TWF12 | 3/4        | 3/4        |  |  |  |
| 4500TWF16 | 1          | 1          |  |  |  |
| 4500TWF20 | 1.1/4      | 1.1/4      |  |  |  |
| 4500TWF24 | 1.1/2      | 1.1/2      |  |  |  |
| 4500TWF32 | 2          | 2          |  |  |  |

**ADATTATORE A 90° SV.60° MASCHIO/FEMM. CON DADO GIREVOLE**


Filetto gas cilindrico  
450CS0N..



| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 450CS0N04 | 1/4        | 1/4        |  |  |  |
| 450CS0N06 | 3/8        | 3/8        |  |  |  |
| 450CS0N08 | 1/2        | 1/2        |  |  |  |
| 450CS0N12 | 3/4        | 3/4        |  |  |  |
| 450CS0N16 | 1          | 1          |  |  |  |
| 450CS0N20 | 1.1/4      | 1.1/4      |  |  |  |
| 450CS0N24 | 1.1/2      | 1.1/2      |  |  |  |
| 450CS0N32 | 2          | 2          |  |  |  |

**ADATTATORE A 90° SV.60° ORIENTABILE**


Filetto gas cilindrico  
4573..



| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 45730202N | 1/8        | 1/8        |  |  |  |
| 45730404N | 1/4        | 1/4        |  |  |  |
| 45730606N | 3/8        | 3/8        |  |  |  |
| 45730808N | 1/2        | 1/2        |  |  |  |
| 45731212N | 3/4        | 3/4        |  |  |  |
| 45731616N | 1          | 1          |  |  |  |
| 45732020N | 1.1/4      | 1.1/4      |  |  |  |
| 45732424N | 1.1/2      | 1.1/2      |  |  |  |
| 45733232N | 2          | 2          |  |  |  |

**ADATTATORE A 45° SV.60° MASCHIO/FEMMINA CON DADO GIREVOLE**


Filetto gas cilindrico  
45..CQ



| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 4500004CQ | 1/4        | 1/4        |  |  |  |
| 4500006CQ | 3/8        | 3/8        |  |  |  |
| 4500008CQ | 1/2        | 1/2        |  |  |  |
| 4500012CQ | 3/4        | 3/4        |  |  |  |
| 4500016CQ | 1          | 1          |  |  |  |
| 4500020CQ | 1.1/4      | 1.1/4      |  |  |  |
| 4500024CQ | 1.1/2      | 1.1/2      |  |  |  |
| 4500032CQ | 2          | 2          |  |  |  |

**ADATTATORE A 90° SV.60° MASCHIO/FEMM. CON DADO GIREVOLE**


Filetto gas cilindrico  
45CS0N..C



| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 45CS0N02C | 1/8        | 1/8        |  |  |  |
| 45CS0N04C | 1/4        | 1/4        |  |  |  |
| 45CS0N06C | 3/8        | 3/8        |  |  |  |
| 45CS0N08C | 1/2        | 1/2        |  |  |  |
| 45CS0N12C | 3/4        | 3/4        |  |  |  |
| 45CS0N16C | 1          | 1          |  |  |  |
| 45CS0N20C | 1.1/4      | 1.1/4      |  |  |  |
| 45CS0N24C | 1.1/2      | 1.1/2      |  |  |  |
| 45CS0N32C | 2          | 2          |  |  |  |

**ADATTATORE A 90° SV.60° FEMMINA CON DOPPIO DADO GIREVOLE**

Filetto gas cilindrico  
45..CF




| Codice    | Filetto G1 | Filetto G2 |  |  |  |
|-----------|------------|------------|--|--|--|
| 4500004CF | 1/4        | 1/4        |  |  |  |
| 4500006CF | 3/8        | 3/8        |  |  |  |
| 4500008CF | 1/2        | 1/2        |  |  |  |
| 4500012CF | 3/4        | 3/4        |  |  |  |
| 4500016CF | 1          | 1          |  |  |  |
| 4500020CF | 1.1/4      | 1.1/4      |  |  |  |
| 4500024CF | 1.1/2      | 1.1/2      |  |  |  |
| 4500032CF | 2          | 2          |  |  |  |

## TAPPO MASCHIO AD ESAGONO INCASSATO

Filetto gas conico

450TEI..K




| Codice    | Filetto BSPT |  |  |  |  |
|-----------|--------------|--|--|--|--|
| 450TEI04K | 1/4          |  |  |  |  |
| 450TEI06K | 3/8          |  |  |  |  |
| 450TEI08K | 1/2          |  |  |  |  |
| 450TEI12K | 3/4          |  |  |  |  |
| 450TEI16K | 1            |  |  |  |  |

## TAPPO FEMMINA CONO 60° CON DADO GIREVOLE

Filetto gas cilindrico

4500TFO..




| Codice    | Filetto G |  |  |  |  |
|-----------|-----------|--|--|--|--|
| 4500TFO04 | 1/4       |  |  |  |  |
| 4500TFO06 | 3/8       |  |  |  |  |
| 4500TFO08 | 1/2       |  |  |  |  |
| 4500TFO12 | 3/4       |  |  |  |  |
| 4500TFO16 | 1         |  |  |  |  |
| 4500TFO20 | 1.1/4     |  |  |  |  |
| 4500TFO24 | 1.1/2     |  |  |  |  |
| 4500TFO32 | 2         |  |  |  |  |

## TAPPO MASCHIO SV.60°

Filetto gas cilindrico

4500TPM..




| Codice    | Filetto G |  |  |  |  |
|-----------|-----------|--|--|--|--|
| 4500TPM02 | 1/8       |  |  |  |  |
| 4500TPM04 | 1/4       |  |  |  |  |
| 4500TPM06 | 3/8       |  |  |  |  |
| 4500TPM08 | 1/2       |  |  |  |  |
| 4500TPM10 | 5/8       |  |  |  |  |
| 4500TPM12 | 3/4       |  |  |  |  |
| 4500TPM16 | 1         |  |  |  |  |
| 4500TPM20 | 1.1/4     |  |  |  |  |
| 4500TPM24 | 1.1/2     |  |  |  |  |
| 4500TPM32 | 2         |  |  |  |  |

## TAPPO MASCHIO SV.60°

Filetto metrico cilindrico

45TPM..



| Codice    | Filetto M |  |  |  |  |
|-----------|-----------|--|--|--|--|
| 45TPM0101 | 10x1      |  |  |  |  |
| 45TPM1215 | 12x1,5    |  |  |  |  |
| 45TPM1415 | 14x1,5    |  |  |  |  |
| 45TPM1615 | 16x1,5    |  |  |  |  |
| 45TPM1815 | 18x1,5    |  |  |  |  |
| 45TPM2015 | 20x1,5    |  |  |  |  |
| 45TPM2215 | 22x1,5    |  |  |  |  |





## **NORD FLUID**

**NORD FLUID SpA**

Via Giovanni Verga, 80  
10036 Settimo Torinese (TO)

Tel. +39 011 8975036

Fax +39 011 8968979

[info@nordfluid.it](mailto:info@nordfluid.it)

[www.nordfluid.it](http://www.nordfluid.it)